Figure 1



(a) (b) (c)



FIGURE 2



FIGURE 3


sTRSV
vLTSV-
PLMVd
1 mM Mg2+ pH 7.0
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 4A


1 mM Mg^{2+} pH 7.0
sTRSV
vLTSV-
sTRSV + LT-1
sTRSV + LT-2
sTRSV + LT-1 & LT-2
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 4B


sTRSV
PLMVd
sTRSV + PL-1
sTRSV + PL-2
sTRSV + PL-1 & PL-2
1 mM Mg^{2+} pH 7.0
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 4C


1 mM Mg^{2+} PBS
sTRSV
vLTSV-
PLMVd
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 5A


1 mM Mg2+ PBS
sTRSV
vLTSV-
sTRSV + LT-1
sTRSV + LT-2
sTRSV + LT-1 & LT-2
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 5B


1 mM Mg2+ PBS
sTRSV
PLMVd
sTRSV + PL-1
sTRSV + PL-2
sTRSV + PL-1 & PL-2
% reacted
0
10
20
30
40
50
60
70
80
90
0
5
10
15
Time (min)

FIGURE 5C


sTRSV
vLTSV-
PLMVd
0.1 mM Mg^{2+} pH 7.0
% reacted
Time (min)
0
10
20
30
40
50
60
70
0
5
10
15

FIGURE 6A


sTRSV
vLTSV-
sTRSV + LT-1
sTRSV + LT-2
sTRSV + LT-1 & LT-2
0.1 mM Mg2+ pH 7.0
% reacted
0
10
20
30
40
50
60
70
0
5
10
15
Time (min)

FIGURE 6B


sTRSV
PLMVd
sTRSV + PL-1
sTRSV + PL-2
sTRSV + PL-1 & PL-2
0.1 mM Mg^{2+} pH 7.0
% reacted
0
10
20
30
40
50
60
70
Time (min)
0
5
10
15

FIGURE 6C


sTRSV
PMLVd
sTRSV + PL-1
sTRSV + PL-2
sTRSV + PL-1 & PL-2
K_{obs} (min^{-1})
0
0.5
1
1.5
2
2.5
3
10
100
1000
10000
Mg^{2+} (μM)

FIGURE 7


pAAV6-seap
6980 bp
LITR
CMV
KpnI (1859)
SEAP
BamHI (3433)
NotI (3483)
BGH 3'-UTR
SalI (4400)
BamHI (4413)
XbaI (4497)
SphI (4647)
RITR

FIGURE 8


Chimeric ribozymes activity in vivo
Loop II
Loop I
Loop I+II
Chemiluminescence (RLU)
45000
40000
35000
30000
25000
20000
15000
10000
5000
0
a b
sTRSV + PL-1
a b
sTRSV + PL-2
a b
sTRSV + PL-1 & PL-2
sTRSV
vLTSV
PLMVd
Schistosome
Control
ribozyme construct

FIGURE 9


Initial rate of several sTRSV mutants at 0.1 mM Mg2+
Initial rate (min-1)
0.045
0.04
0.035
0.03
0.025
0.02
0.015
0.01
0.005
0
mut 1
mut 2
mut 3
mut 4
mut 5
mut 6
mut 7
mut 8
mut 9
mut 10
mut 11
sTRSV

B


20
40
60
dG = -34.93 (initially -34.2) STOBRV+

A

FIGURE 10

Figure 11


Cis
Trans
A
stem II
stem III
stem I
C
3'
5'
5' 3'
B
G
U
A
C
D
3'
5'
G
U
A
C
5' 3'
dG = -34.53 (initially -35.1) 01Aug13-13-31-13


A
Schistosome wild-type kinetics
% cleaved
Time (min)
cis -1 mM
trans 1mM
cis -0.1 mM
trans 0.1mM
B
Schistosome mutant kinetics
% cleaved
Time (min)
cis mut 1 mM
trans mut 1mM
cis mut 0.1
trans mut 0.1

FIGURE 12


Mg2+ dependence of wild-type and mutant Scistosome ribozymes
trans
trans mut
Cis
Cis mut
% cleaved in 1 min
50.0
40.0
30.0
20.0
10.0
0.0
10
100
1000
10000
Mg (μM)

FIGURE 13


Random sequence
HH RZ library
a
Stem III
Stem I
Stem II
5'
3'
I
5'-fragment
3'
3'-fragment
II
Isolate from a denaturing PAGE
III
1. RT
2. PCR
III
Duplex DNA
template
b
Clone & Sequence
IV
In vitro
Transcription
IV

FIGURE 14


Random sequence
HH RZ library
a
Stem III
Stem I
Stem II
I
5'-fragment
3'-fragment
II
Isolate from a denaturing PAGE
III
Synthetic
5'-fragment
Enzymatic ligation at >10 mM MgCl2
IV
1. RT
2. PCR
IV
In vitro transcription
V

FIGURE 15


Random sequence
HH RZ library
a
Stem III
Stem I
Stem II
5'
3'
N
N_n
IV
In vitro
Transcription
I
5'-fragment
3'
3'-fragment
II
III
Isolate from a denaturing PAGE
1. RT
2. PCR
Duplex DNA
template
IV
b
Clone & Sequence

FIGURE 16


A
5'
3'
Stem III
Stem-loop I
Stem-loop II
B
3'
5'
Stem-loop III
Stem-loop I
Stem-loop II
C
5'
3'
3'
5'
Stem III
Stem I
Stem-loop II
D
3'
5'
Stem-loop III
Stem I
Stem II
3'
5'

Figure 17


A
Stem-loop I
Stem-loop II
Stem-loop III
3' 5'
Cis-cleaving HH Rz
B
3'
5'
Stem-loop I
Stem-loop II
Stem-loop III
3'
5'
Trans-cleaving HH Rz
C
3'
5'
Stem-loop I
Stem-loop II
Stem-loop III
3'
5'
Trans-cleaving HH Rz

Figure 18


Cricketzymes
A
B
dG = -25.83 [initially -28.2] O1AugO1-11
dG = -36.83 [initially -39.2] O1Aug
Shistozyme
dG = -34.53 [initially -35.1] O1Aug13-13-31-13

Figure 19


A
5'
3'
Stem-loop I
Stem-loop II
Stem-loop III
B
5'
3'
Stem-loop I
Stem-loop II
Stem-loop III

Figure 20


A1-0.1 mM
A1- 1 mM
A2-1 mM
A2-0.1 mM
K_{obs} ~ 0.48 min^{-1}
K_{obs} ~ 0.131 min^{-1}
K_{obs} ~ 0.023 min^{-1}
K_{obs} ~ 0.0025 min^{-1}
% reacted
Time (min)
0
10
20
30
40
50
60
70

Figure 21


A1
I
II
III


A2
I
II
III





dG = -29.63 [initially -30.2] 01Dec17-13-13-52



dG = -36.23 [initially -36.8] 01Dec17-13-14-17



ΔG	-21.9	-29.6	-36.2	-36.8
	TCHR-5:4	TCHR-7:4	TCHR-9:4	TCHR-7:6

Figure 22

10/517638

PCT/US03/18499

Kinetics of different TCHRs in 0.1 mM $MgCl_2$



Figure 23



B

	Kobs	Relative Activity
TCHR-5:4	0.02	1
TCHR-7:4	0.29	15
TCHR-7:6	0.43	22
TCHR-9:4	0.95	49

Figure 24


Kinetics in PBS with 0.1 mM Mg^{2+}
TCHR-7:6
TCHR-9:4
B
C
% Cleaved
40
30
20
10
0
-10
-2
0
2
4
6
8
10
12
Time (min)

Figure 25



Figure 26


TCHR-5:4
TCHR-5:4 in 0.5 M NaCl
HH-16
HH-16 in 0.5 M NaCl
1214 times faster
% cleaved
60.0
50.0
40.0
30.0
20.0
10.0
0.0
0
10
20
30
Time (min)

Figure 27


Kinetics in 10 mM Mg2+
TCHR-5:4 at pH 6.0 Kobs = 0.90 min-1
TCHR-5:4 at pH 5.5 Kobs = 0.57 min-1
HH-16 at pH 6.0 Kobs = 0.0008 min-1
HH-16 at pH 5.5 Kobs = 0.0006 min-1
B
C
D
E
% Cleavage
Time (min)
60
50
40
30
20
10
0
-10
-1
0
1
2
3
4
5
6

Figure 28

Cleavage of TCHR-5:4 and HH16 in the presence of LiCl



Figure 29


pH dependence of TCHR-5:4 and HH16 at 0.1 mM Mg^{2+}
A
% Cleaved
Time (min)
pH5.5
pH6.0
pH6.5
pH7.0
pH7.7
pH8.0
pH8.5
B
% Cleaved
Time (min)
pH5.5
pH6.0
pH6.5
pH7.0
pH7.7
pH8.0
pH8.5
C
log of initial rate
pH
TCHR-5:4
HH16

Figure 30


Temperature dependence at 0.1 mM Mg^{2+}
A
TKHR-5:4
% Cleaved
Time (min)
4
10
20
30
37
B
HH-16
% Cleaved
Time (min)
C
Temperature dependence
TCHR
initial rate (min-1)
Temperature
D
Temperature dependence
HH16
initial rate
Temperature

Figure 31

Mg^{2+} dependence of TCHR-5:4 and HH16 at different pH



Figure 32





A

Figure 33

Changing the position of the internal bulge resulted in loss of activity

A



B





Figure 34

Design of randomized libraries for isolating trans-cleaving kissing HH Rzs



Stem I randomized (Library A)

Stem II randomized (Library B)

Figure 35

Figure 36

Template A

5'-GGGATTTACCCGGCAGNNNNNNNNATCCAGCTGATGAGTCCCAAATAGGACGAAACGCCTTCGGGCGTCCTGGATCTGC-3'

(SEQ ID NO: __)

T7-A

5'-TAATACGACTCACTATAGGGATTTACCCGGCAG-3' (SEQ ID NO: __)

RT-A

5'-GCAGATCCAGGACGCCCG-3' (SEQ ID NO: __)

Antisense-A

5'-GTCCTATTTGGGACTCATCAGCTGGAT-3' (SEQ ID NO: __)

Template B

5'-GGGACTTAAGCCCACTGATGAGTCGCNNNNNNGCGACGAAACGCCTTCGGGCGTCTGGGCAGTCCC-3' (SEQ ID NO: __)

T7-B

5'-TAATACGACTCACTATAGGGACTTAAGCCCACTG-3' (SEQ ID NO: __)

RT-B

5'-GGGACTGCCCAGACGCCCGAAGGCGTTTC-3' (SEQ ID NO: __)

Antisense-B

5'-GCGACTCATCAGTGGGCTTAAGTCCC-3' (SEQ ID NO: __)

10/517638
PCT/US03/18499

Progress of in vitro selection of trans-cleaving hammerhead ribozymes



Library B



Library A

Figure37

A

Sequence #

Sequence(5' - 3')

	GGGAUUUACCCGGCAG	NNNNNNNN	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCCUUCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002062995	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGC UUCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002062997	GAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063002	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063004	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063022	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063036	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063041	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063053	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063068	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063045	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063047	GGGAUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063021	UGAUUUUACCCGGCAG	GGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063030	GGGAUUUACCCGGCAG	CGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063025	GGGAUUUACCCGGCAG	CGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063059	GGGAUUUACCCGGCAG	CGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002062994	GGGAUUUACCCGGCAG	CGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUG	(SEQ ID NO:__)
2002063006	GGGAUUUACCCGGCAG	CGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGG	(SEQ ID NO:__)
2002063048	GGGAUUUACCCGGCAG	UGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063003	GGGAUUUACCCGGCAG	UGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063017	GGGAUUUACCCGGCAG	UGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063058	GGGAUUUACCCGGCAG	UGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
200206306	GGGAUUUACCCGGCAG	AGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063070	GGGAUUUACCCGGCAG	AGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063065	GGGAUUUACCCGGCAG	AGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063024	GGGAUUUACCCGGCAG	AGGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGG	(SEQ ID NO:__)
2002063051	GGGAUUUACCCGGCAG	GCGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063044	GGGAUUUACCCGGCAG	GCGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063007	GGGAUUUACCCGGCAG	GAGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063009	GGGAUUUACCCGGCAG	GUGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063027	GGGAUUUACCCGGCAG	GkGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063050	GGGAUUUACCCGGCAG	GmGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063071	GGGAUUUACCCGGCAG	UUGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063001	GGGAUUUACCCGGCAG	UUGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063043	GGGAUUUACCCGGCAG	AAGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACGCC UCGGGCGUCCUGGAUCUGC	(SEQ ID NO:__)
2002063005	GGGAUUUACCCGGCAG	CAGCUACG	AUCCAGCUGAUGAGUCCCAAAUAGGACGAAACG	(SEQ ID NO:__)

NNGCUACG ------- CAAAUA

B

Seq.	Freq. (%)
GGGCUACG	36
CGGCUACG	15
UGGCUACG	12
AGGCUACG	12
GCGCUACG	6
GAGCUACG	3
GUGCUACG	3
UUGCUACG	6
AAGCUACG	3
CAGCUACG	3

Figure 38

	GGGACUUAAGCCCACUGAUGAGUCGC	**nnnnnn**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCCC	(SEQ ID NO:__)
2002063054	GGGACUUAAGCCCACUGAUGAGUCGC	**UGGGAU**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCC	(SEQ ID NO:__)
2002063034	GGGACUUAAGCCCACUGAUGAGUCGC	**UGGGAU**	GCGACGAAACGCCUUCGGGCAUCACGAAUUC	(SEQ ID NO:__)
2002063033	UGGACUUAAGCCCACUGAUGAGUCGC	**UGGGAU**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCCC	(SEQ ID NO:__)
2002063032	GGGACUUAAGCCCACUGAUGAGUCGC	**UGGGAU**	GCGACGAAACGCCUUCGGGCG	(SEQ ID NO:__)
2002063029	UGGACUUAAGCCCACUGAUGAGUCGC	**UGGGAU**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCCC	(SEQ ID NO:__)
2002063031	UGGACUUAAGCCCACUGAUGAGUCGC	**UGCGAU**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCCC	(SEQ ID NO:__)
2002063052	UGAUCUUAAGCCCACUGAUGAGUCGC	**UGCGAU**	GCGACGAAACGCCUUCGGGCGUCUGGGCAGUCCC	(SEQ ID NO:__)
2002063056	GGGACUUAAGCCCACUGAUGAGUCGC	**UGWGAU**	GCGACGAAACGCCUUCGGGC	(SEQ ID NO:__)
2002063046	GGGACUUAAGCCCACUGAUGAGUCGC	**UGGAAU**	GCGACGAAACGCCUUCGGAUCACGAAUUC	(SEQ ID NO:__)



50%
30%
10%

Figure 39



2002063054 F8
2002063031 G5
2002063046 F7



2002063002 B2
2002062994 B1
2002063003 C2
2002063065 A10
2002063044 D7

Figure 40

Figure 41A


(1)
strand B
strand A
structure I
(2)
strand A
strand B
structure II
(3)
structure III
(4)
structure IV
(5)
structure V



Figure 41B

Figure 42A

Notophthalmus viridescens satellite RNA (newt)

UUGGAUUCAAGCUAGCCUGG CUGAUGAA GGGUG A UACCC AGAAA CC GG UC CUAGGAUGCUUUGUUUCCGG

I' C II LII II' C III III' CS I

Amb.talpoideum (Am. ta.)

GACCCAAGCUACUCCUCA CUGAUGAG GCC CAACAA GGC UGAAA CA UG UU UGGGGAUGCUUGUGGUC

I' C II LII II' C III III' CS I

Amp.tridactulum (Am. tr.)

CUUAAGCUGCACCUCA CUGAUGAU GCC CAAUGA GGC UGAAA CG CG UU UGGGGUUGCUUGAG

I' C II LII II' C III III' CS I

Schistosoma (Schistozyme)

GGCAGGUACAUCCAG CUGACGA GUCC CAAAUA GGAC GAAA UGCCU UC GGGCA UC CUGGAUUCCACUGCU

I' C II LII II' C III LIII III' CS I

Cricket Pst3 from D.baccettii (D. ba.)

GUGUGUUCCCUCUGCCCCG CUGAUGA GGUC GGGGA GACC GAAA GGGU CA ACUC UA CGGGGCUAUUACAUGC

I' C II LII II' C III LIII III' CS I

Cricket from D.schiavazzii (D. sc.)

GAUGUGUGUUCCCUCUGCCCCG CUGAUGA GGUC AGGGAA GACC GAAA GGGU CG ACUC UA CGGGGCUAUAACAUGCAAU

I' C II LII II' C III LIII III' CS I

Avocado sunblotch viroid (ASBV+)

GGAAAGAUGGGAAGAACA CUGAUGA GUCUCGCAAGGUUUA----UAAACUUUGUUUGAC GAAA CC A GG UC UGUUCCGACUUUCC

I' C II LII II' C III LIII III' CS I

Figure 42B

Avocado sunblotch viroid (ASBV-)

UUCCCAUCUUUCC CUGAAGA GACGAAGUGA----UCACAAGUC GAAA CUC A GAG UC GGAAAGUCGGAA

I′ C II LII II′ C III LIII III′ CS I

Carnation small viroid-like RNA (CarSV+ RNA)

UUCGAGCCUUACCGACA CUGAUGA GCCAAGAGGAACUUGGAGGC----GCCUCCAAGGGGCCUGGAGGC GAAA CCCC GGGG UC UGUUGGGACCACUCGGA

I′ C II LII II′ C III III′ CS I

HH2

GCGAUGAC CUGAUGA GGCC GAAA GGCC GAAA CGUUCUC GCGA GAGAACG UC GUCGUCGC

I′ C II LII II′ C III LIII III′ CS I

Small circular cherry RNA (Scc+)

AUGCUG UA GUGGGA UGUGUG UCUCAC CUGAAGA GGAC AAAA GUCC GAAA CGGUAU

III′ CS I LI I′ C II LII II′ C III

Small circular cherry RNA (Scc-)

GCUA UA UGGGGA UGUGUG UCCCUA CUGACGA GUUC AAAA GAAC GAAA UAGU

III′ CS I LI I′ C II LII II′ C III

Lucerne transient streak virusoid (sLTSV+)

UACG UC UGAGCG UGAUACC CGCUCA CUGAAGAU GGCCC GGUA GGGCC GAAA CGUA

III′ CS I LI I′ C II LII II′ C III

Lucerne transient streak virusoid (sLTSV-)

GACG UA UGAGAC UGACUGAAACGCC GUCUCA CUGAUGA GGCC AUGGCA GGCC GAAA CGUC

III′ CS I LI I′ C II LII II′ C III

10/517639
PCT/US03/18499

Figure 42C

Tobacco ringspot virus satellite RNA (sTRSV+)

CCUG UC ACCGGA UGUGCUU UCCGGU CUGAUGA GUCC GUGA GGAC GAAA CAGG

III' CS I LI I' C II LII II' C III

Arabis mosaic virus (sArMV)

ACUG UC GCCGGAU GUGU AUCCGAC CUGACGAU GGCCC AAAA GGGCC GAAA CAGU

III' CS I LI I' C II LII II' C III

Chicory yellow mottle virus satellite RNA (sCYMV)

UACUG UC GCC AGACGUGGACCC GGC CUGAUGA GUCC GAAA GGAC GAAA CAGUA

III' CS I LI I' C II LII II' C III

Barley yellow dwarf virus satellite RNA (sBYDV-)

GGUG UC UCAAGGU GCGU ACCUUGA CUGAUGA GUCC GAAA GGAC GAAA CACC

III' CS I LI I' C II LII II' C III

Barley yellow dwarf virus satellite RNA (sBYDV+)

GUGGA UA ACAG AGCGCGUA CUGU CUGACGAC GUAUCCGCGCGGACUAGAAGGC UGGU GCCUCGUCCAACAAAUAGAUAC AGAAA UCCAC

III' CS I LI I' C II LII II' C III

Peach latent mosaic (PLMVd +)

GAAGAG UC UGUGC UAA GCACA CUGACGA GUCUC UGAGAU GAGAC GAAA CUCUUC

III' CS I LI I' C II LII II' C III

Peach latent mosaic (PLMVd-)

UCAUAAG UC UGGGC UAA GCCCA CUGAUGA GUCGC UGAAAU GCGAC GAAA CUUAUGA

III' CS I LI I' C II LII II' C III

Figure 42D

Chrysanthemum chlorotic mottle viroids (CChMVd+)

AAGAGG UC GGCACC UGACGUC GGUGUC CUGAUGAA GAUCC AUGACA GGAUC GAAA CCUCUU

III′ CS I LI I′ C II LII II′ C III

Chrysanthemum chlorotic mottle viroids (CChMVd-)

UCCAG UC GAGACCU GAAGU GGGUUUC CUGAUGA GGCUGUGGAGAGAGC GAAA GCUUUACUCCCACACAAGCC GAAA CUGGA

III′ CS I LI I′ C II LII II′ C III

Subterraneum clover mottle virusoid (vSCMoV)

CGCUG UC UGUACU UGUAUC AGUACA CUGACGA GUCC CUAAA GGAC GAAA CAGCG

III′ CS I LI I′ C II LII II′ C III

Velvet tobacco mottle virusoid (vVTMoV)

UCCG UA GUGGAU GUGU AUCCACU CUGAUGA GUCC GAAA GGAC GAAA CGGA

III′ CS I LI I′ C II LII II′ C III

FIGURE 43

A. TEMPLATE SEQUENCES

STOBRV+	TAATACGACTCACTATGGGACCTGTCACCGGATGTGCTTTCCGGTCTGATGAGTCCGTGAGGACGAAACAGGTCCC
VLTSV-A	TAATACGACTCACTATGGGATACGTCTGAGCGTGATACCCGCTCACTGAAGAGGCCCGGTAGGGCCGAAACGTATCCC
PLMVD-	TAATACGACTCACTATGGGATCATAAGTCTGGGCTAAGCCCACTGATGAGTCGCTGAAATGCGACGAAACTTATGATCC
STOBRV+LT1	TAATACGACTCACTATGGGACCTGTCACCGGATGATACCTCCGGTCTGATGAGTCCGTGAGGACGAAACAGGTCCC
STOBRV+LT2	TAATACGACTCACTATGGGACCTGTCACCGGATGTGCTTTCCGGTCTGATGAGTCCCGGTAGGGACGAAACAGGTCCC
STOBRV+LT1&2	TAATACGACTCACTATGGGACCTGTCACCGGATGATACCTCCGGTCTGATGAGTCCCGGTAGGGACGAAACAGGTCCC
STOBRV+PL1	TAATACGACTCACTATGGGACCTGTCACCGGTAACCGGTCTGATGAGTCCGTGAGGACGAAACAGGTCCC
STOBRV+PL2	TAATACGACTCACTATGGGACCTGTCACCGGATGTGCTTTCCGGTCTGATGAGTCCCTGAAATGGGACGAAACAGGTCCC
STOBRV+PL1&2	TAATACGACTCACTATGGGACCTGTCACCGGTAACCGGTCTGATGAGTCCCTGAAATGGGACGAAACAGGTCCC

B. ANTISENSE SEQUENCES

TobRV-antisence	CACGGACTCATCAGACCGGAAAGCAC
LTSV-antisense	ACCGGGCCTCTTCAGTGAGCGGGTATC
PLMVD- antisense	ATTTCAGCGACTCATCAGTGGGCTTA
STOBRV+LT1- antisense	CACGGACTCATCAGACCGGAGGTATC
STOBRV+LT2- antisense	TACCGGGACTCATCAGACCGGAAAGCA
STOBRV+LT1&2- antisense	TACCGGGACTCATCAGACCGGAGGTAT
STOBRV+PL1- antisense	TCACGGACTCATCAGACCGGTTA
STOBRV+PL2- antisense	TTCAGGGACTCATCAGACCGGAAAGCA
STOBRV+PL1&2- antisense	ATTTCAGGGACTCATCAGACCGGTTA